

L1 1 S US 20070244203/PN

L2 FILE 'REGISTRY' ENTERED AT 09:08:37 ON 21 OCT 2010
1 S 9003-01-4/RN
SET NOTICE 1 DISPLAY
SET NOTICE LOGIN DISPLAY

L3 FILE 'REGISTRY' ENTERED AT 09:09:05 ON 21 OCT 2010
1 S 9016-00-6/RN
SET NOTICE 1 DISPLAY
SET NOTICE LOGIN DISPLAY

L4 FILE 'REGISTRY' ENTERED AT 09:10:45 ON 21 OCT 2010
1 S 31900-57-9/RN
SET NOTICE 1 DISPLAY
SET NOTICE LOGIN DISPLAY

L5 FILE 'CAPLUS' ENTERED AT 09:12:33 ON 21 OCT 2010
14455 S L3 AND L4
L6 0 S L3 (L) L4
L7 720 S L5 AND (DRUG DELIVERY SYSTEMS/IT OR MEDICAL GOODS/IT)
L8 693 S L7 AND (PY<=2007 OR AY<=2007 OR PRY<=2007)

L9 FILE 'REGISTRY' ENTERED AT 09:17:00 ON 21 OCT 2010
1 S 9003-01-4/RN
SET NOTICE 1 DISPLAY
SET NOTICE LOGIN DISPLAY

L10 FILE 'REGISTRY' ENTERED AT 09:17:26 ON 21 OCT 2010
1 S 57-11-4/RN
SET NOTICE 1 DISPLAY
SET NOTICE LOGIN DISPLAY

L11 FILE 'REGISTRY' ENTERED AT 09:17:45 ON 21 OCT 2010
1 S 79-06-1/RN
SET NOTICE 1 DISPLAY
SET NOTICE LOGIN DISPLAY

L12 FILE 'REGISTRY' ENTERED AT 09:18:11 ON 21 OCT 2010
1 S 471-34-1/RN
SET NOTICE 1 DISPLAY
SET NOTICE LOGIN DISPLAY

L13 FILE 'REGISTRY' ENTERED AT 09:18:30 ON 21 OCT 2010
1 S 1332-37-2/RN
SET NOTICE 1 DISPLAY
SET NOTICE LOGIN DISPLAY

L14 FILE 'REGISTRY' ENTERED AT 09:18:55 ON 21 OCT 2010
1 S 1344-28-1/RN
SET NOTICE 1 DISPLAY
SET NOTICE LOGIN DISPLAY

L15 FILE 'REGISTRY' ENTERED AT 09:19:21 ON 21 OCT 2010
1 S 7631-86-9/RN
SET NOTICE 1 DISPLAY
SET NOTICE LOGIN DISPLAY

FILE 'REGISTRY' ENTERED AT 09:19:52 ON 21 OCT 2010
L16 1 S 7782-42-5/RN
SET NOTICE 1 DISPLAY
SET NOTICE LOGIN DISPLAY

FILE 'REGISTRY' ENTERED AT 09:20:10 ON 21 OCT 2010
L17 1 S 9002-89-5/RN
SET NOTICE 1 DISPLAY
SET NOTICE LOGIN DISPLAY

FILE 'REGISTRY' ENTERED AT 09:21:56 ON 21 OCT 2010
E COLONIAL 1360/CN
SET EXPAND CONTINUOUS
E 27323-41-7/RN
L18 1 S E15
E ULTRAWET 60L/CN
L19 1 S E27
L20 0 S L8 AND L19

FILE 'CAPLUS' ENTERED AT 09:24:58 ON 21 OCT 2010
L21 1 S L8 AND L19

FILE 'CAPLUS' ENTERED AT 09:25:58 ON 21 OCT 2010
L22 4 S L3 AND L4 AND L19
L23 3 S L22 AND (PY<=2003 OR AY<=2003 OR PRY<=2003)

L23 ANSWER 1 OF 3 CAPLUS COPYRIGHT 2010 ACS on STN
AB Making a silicone-in-water emulsion occurs by forming a hydrophobic phase containing a silicone component selected from a silicone fluid, silicone gum, a silicone rubber, a silicone elastomer, a silicone resin, or a mixture thereof; the silicone in the hydrophobic phase having a viscosity of at least 1,000 mm2/s to 5,000,000,000 mm2/s at 23°, mixing ≥1 surfactants with the hydrophobic phase, adding 0.5-10% H2O to the hydrophobic phase and shear mixing in a twin-screw extruder to form a silicone-in-water emulsion, and (v) optionally, diluting the silicone-in-water emulsion by the addition of water; the method carried out in the absence of a solvent other than solvents present in the silicone fluid.

ACCESSION NUMBER: 2008:1189335 CAPLUS Full-text
DOCUMENT NUMBER: 149:426542
TITLE: Emulsification of fluid or gum or rubber and making
silicone-in-water emulsions
INVENTOR(S): Barnes, Kathleen; Rochlitz, Walker L.; Shim, Anne
Katja; Suhr, Lindsey M.; Tabler, Raymond Lee; Tascarella, David Shawn
PATENT ASSIGNEE(S): Dow Corning Corporation, USA
SOURCE: U.S. Pat. Appl. Publ., 7 pp., Cont.-in-part of U.S.
Ser. No. 559,525.
CODEN: USXXCO
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 2

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
US 20080242744	A1	20081002	US 2008-113395	
20080501 <--				
WO 2005016998	A2	20050224	WO 2004-US12001	
20040419 <--				
WO 2005016998	A3	20050421		
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW				
RW: BW, GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
US 20060135626	A1	20060622	US 2005-559525	
20051206 <--				
US 7385001	B2	20080610		
PRIORITY APPLN. INFO.:			US 2003-489405P	P
20030723 <--				
20040419			WO 2004-US12001	W
20051206			US 2005-559525	A2
20070703			US 2007-947694P	P
ASSIGNMENT HISTORY FOR US PATENT AVAILABLE IN LSUS DISPLAY FORMAT				
INCL 516055000				
IPCI B01F0003-08 [I,A]				
IPCR B01F0003-08 [I,C]; B01F0003-08 [I,A]				
NCL 516/055.000				
CC 37-3 (Plastics Manufacture and Processing)				
Section cross-reference(s): 39				
IT 31900-57-9, Polydimethylsiloxane				
RL: PEP (Physical, engineering or chemical process); TEM (Technical or engineered material use); PROC (Process); USES (Uses) (assumed monomers; making silicone-in-water emulsions)				
IT 27323-41-7, Bio-Soft N-300				
RL: NUU (Other use, unclassified); USES (Uses) (making silicone-in-water emulsions)				

IT 9016-00-6, Polydimethylsiloxane 31692-79-2, Hydroxy terminated
polydimethylsiloxane 42557-10-8, Trimethylsilyl-terminated
polydimethylsiloxane 156048-35-0D,
Dimethylsilanediol;phenylmethylsilanediol copolymer,
dimethylvinylsilyl-terminated
RL: PEP (Physical, engineering or chemical process); TEM
(Technical or
engineered material use); PROC (Process); USES (Uses)
(making silicone-in-water emulsions)

IT Alcohols
RL: NUU (Other use, unclassified); USES (Uses)
(C11-15-secondary, ethoxylated; making silicone-in-water
emulsions)

IT Emulsification
Surfactants
(making silicone-in-water emulsions)

IT MQ resins
Polysiloxanes
Silicone rubber
RL: PEP (Physical, engineering or chemical process); TEM
(Technical or
engineered material use); PROC (Process); USES (Uses)
(making silicone-in-water emulsions)

IT Emulsions
(oil-in-water; making silicone-in-water emulsions)

IT 9002-92-0, Brij 30
RL: NUU (Other use, unclassified); USES (Uses)
(Brij 35L; making silicone-in-water emulsions)

IT 1343-98-2D, Silicic acid, organosilylated
RL: PEP (Physical, engineering or chemical process); TEM
(Technical or
engineered material use); PROC (Process); USES (Uses)
(MQ derivs.; making silicone-in-water emulsions)

IT 31900-57-9, Polydimethylsiloxane
RL: PEP (Physical, engineering or chemical process); TEM
(Technical or
engineered material use); PROC (Process); USES (Uses)
(assumed monomers; making silicone-in-water emulsions)

IT 27323-41-7, Bio-Soft N-300
RL: NUU (Other use, unclassified); USES (Uses)
(making silicone-in-water emulsions)

IT 9016-00-6, Polydimethylsiloxane 31692-79-2, Hydroxy terminated
polydimethylsiloxane 42557-10-8, Trimethylsilyl-terminated
polydimethylsiloxane 156048-35-0D,
Dimethylsilanediol;phenylmethylsilanediol copolymer,
dimethylvinylsilyl-terminated
RL: PEP (Physical, engineering or chemical process); TEM
(Technical or
engineered material use); PROC (Process); USES (Uses)
(making silicone-in-water emulsions)

FILE 'REGISTRY' ENTERED AT 09:50:08 ON 21 OCT 2010
E 31692-79-2/RN

L1

1 S US 20070244203/PN

L1 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2010 ACS on STN

AB A controlled-release composition for topical application to a substrate includes an oil-in-water emulsion and an active agent incorporated into the oil-in-water emulsion. The oil-in-water emulsion is substantially free of lipophilic solvent and is formed by mech. inversion of a water-in-oil emulsion. The water-in-oil emulsion includes a silicone component, a surfactant, and water. A method of delivering the active agent to the substrate provides the oil-in-water emulsion and incorporates the active agent into the oil-in-water emulsion for delivery of the active agent to the substrate upon application of the oil-in-water emulsion to the substrate. Comps. contained niacinamide and emulsions containing DC 193 Fluid and Emulsifier 10.

ACCESSION NUMBER: 2005:423730 CAPLUS Full-text

DOCUMENT NUMBER: 142:469280

TITLE: A controlled-release composition for topical application comprising an oil-in-water

emulsion

INVENTOR(S): Raul, Victor A.; Thomas, Xavier Jean-Paul;
Shim, AnneK.; Schalaus, Gerald K., II; Cabala, Janelle L.
Dow Corning Corporation, USA

PATENT ASSIGNEE(S):

SOURCE: PCT Int. Appl., 34 pp.

CODEN: PIXXD2

DOCUMENT TYPE:

Patent

LANGUAGE:

English

FAMILY ACC. NUM. COUNT: 3

PATENT INFORMATION:

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
	-----	----	-----	-----	----
-----	WO 2005044232	A1	20050519	WO 2004-US35619	
20041027					
W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW				
RW:	BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE,				

SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML,
MR, NE,
SN, TD, TG
EP 1677762 A1 20060712 EP 2004-796529
20041027 R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE,
MC, PT,
IE, SI, FI, RO, CY, TR, BG, CZ, EE, HU, PL, SK
CN 1874755 A 20061206 CN 2004-80031651
20041027 JP 2007509954 T 20070419 JP 2006-538212
20041027 AT 424816 T 20090315 AT 2004-796563
20041027 US 20070244203 A1 20071018 US 2007-576991
20070306 <--
PRIORITY APPLN. INFO.: US 2003-514709P P
20031027 WO 2004-US35619 W
20041027
ASSIGNMENT HISTORY FOR US PATENT AVAILABLE IN LSUS DISPLAY FORMAT
IT Gums and Mucilages
Surfactants
Thickening agents
(controlled-release composition for topical application
comprising an
oil-in-water emulsion)
IT Carbon black, biological studies
Diatomite
Polysaccharides, biological studies
Polysiloxanes, biological studies
RL: MOA (Modifier or additive use); THU (Therapeutic use); BIOL
(Biological study); USES (Uses)
(controlled-release composition for topical application
comprising an
oil-in-water emulsion)
IT Medical goods
(dressings; controlled-release composition for topical
application
comprising an oil-in-water emulsion)
IT Drug delivery systems
(emulsions, controlled-release, topical; controlled-release
composition for
topical application comprising an oil-in-water emulsion)
IT Polysiloxanes, biological studies
RL: MOA (Modifier or additive use); THU (Therapeutic use); BIOL
(Biological study); USES (Uses)
(polyoxyalkylene-; controlled-release composition for topical
application
comprising an oil-in-water emulsion)
IT Polyoxyalkylenes, biological studies
RL: MOA (Modifier or additive use); THU (Therapeutic use); BIOL
(Biological study); USES (Uses)
(polysiloxane-; controlled-release composition for topical
application
comprising an oil-in-water emulsion)
IT 9003-01-4D, crosslinked

RL: MOA (Modifier or additive use); THU (Therapeutic use); BIOL
 (Biological study); USES (Uses)
 (Carbomer; controlled-release composition for topical
 application comprising
 an oil-in-water emulsion)
 IT 57-11-4, Stearic acid, biological studies 79-06-1D, Acrylamide,
 copolymers 471-34-1, Calcium carbonate, biological studies
 1332-37-2,
 Iron oxide, biological studies 1344-28-1, Alumina, biological
 studies
 7631-86-9, Silica, biological studies 7782-42-5, Graphite,
 biological
 studies 9002-89-5, Polyvinyl alcohol 9003-01-4, Polyacrylic
 acid
 9003-39-8, Pvp 9004-34-6D, Cellulose, derivs. 9016-00-6,
 Polydimethylsiloxane 13463-67-7, Titania, biological studies
 14808-60-7, Quartz, biological studies 21645-51-2, Aluminum
 hydroxide,
 biological studies 25167-67-3D, Butene, copolymers 31900-57-9,
 Polydimethylsiloxane 145686-74-4, Emulsifier 10
 RL: MOA (Modifier or additive use); THU (Therapeutic use); BIOL
 (Biological study); USES (Uses)
 (controlled-release composition for topical application
 comprising an
 oil-in-water emulsion)
 IT 98-92-0, Niacinamide 65277-42-1, Ketoconazole
 RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)
 (controlled-release composition for topical application
 comprising an
 oil-in-water emulsion)

FILE 'REGISTRY' ENTERED AT 14:21:21 ON 25 OCT 2010
 L2 1 S 9003-01-4/RN
 SET NOTICE 1 DISPLAY
 SET NOTICE LOGIN DISPLAY
 L3 151523 S (?SILOXANE? OR ?SILICON?)
 L4 116781 S (POLYSILOXANE? OR SILICON?)
 L5 563 S (POLYDIMETHYLSILOXANE?)
 L6 117331 S L4 OR L5
 L7 0 S L6 (L) (EMULSION? OR EMULSIFI?)
 L8 0 S L4 (L) EMULSION?
 L9 3 S L4 AND EMULSION?
 L10 1 S L5 AND EMULSION?
 L11 1 S L4 AND EMULSIF?
 L12 0 S L5 AND EMULSIF?
 L13 4 S L4 AND EMULS?
 L14 1 S L5 AND EMULS?
 L15 4 S L9-L14

FILE 'CAPLUS' ENTERED AT 14:30:02 ON 25 OCT 2010
 L16 1603401 S L4 OR L5
 L17 4613 S L16 (L) EMULSION?
 L18 882 S L16 (L) EMULSIF?
 L19 3679 S L16 (L) SUSPENSION?
 L20 7094 S L16 (L) DISPERSION?

L21 1603401 S L16-20
L22 4087 S L21 AND (MEDICAL GOODS/IT)
L23 8865 S L21 AND (DRUG DELIVERY SYSTEMS/IT)
L24 12306 S L22 OR L23
L25 5054 S L24 AND (PY<=2003 OR AY<=2003 OR PRY<=2003)
L26 1519 S (SILICONE FLUID?)
L27 12477 S SILICON? (L) FLUID?
L28 164 S L24 AND L27
L29 75 S L28 AND (PY<=2003 OR AY<=2003 OR PRY<=2003)

FILE 'CAPLUS' ENTERED AT 16:00:42 ON 25 OCT 2010

FILE 'REGISTRY' ENTERED AT 16:00:46 ON 25 OCT 2010

E SOFTNERSIL-10/CN
SET EXPAND CONTINUOUS
L30 1 S E2
E DC 360/CN
L31 1 S E15